

DERMAGRIP®

Nitrile Ultra Plus Examination Gloves

Increased Protection

DERMAGRIP® Nitrile Extended Cuff Examination Gloves exhibit higher abrasion and puncture resistance than gloves made from Natural Rubber. These characteristics, combined with Nitrile's excellent chemical resistance to a wide range of chemicals, including hydrocarbons, make DERMAGRIP® Nitrile Extended Cuff Examination Gloves the obvious choice for protection.

This glove comes with an extended cuff design, in accordance to the glove standards set by the Personal Protective Equipment Directives (PPE) to provide added protection in high risk and critical situations that require maximum coverage in the handling of various biological and chemical agents as well as exposure to potential physical hazards.

Superior strength with better puncture resistant properties than Natural Rubber. Longer cuff for added protection.

Type:	Powder free , extended cuff and non-sterile examination gloves
Primary Materials:	100% nitrile (Acrylonitrile-butadiene)
Powder:	No powder lubricant added
Colour:	Blue (PMS 285)
Design and Feature:	Ambidextrous, finger textured and beaded cuff
Packing:	200 gloves per dispenser, 10 dispensers per carton (XS-L) 180 gloves per dispenser, 10 dispensers per carton (XL)
Product Conformance:	<ul style="list-style-type: none"> •Personal Protective Equipment of Complex Design Category III, in compliance with 89/686/EEC, type tested to EN 420:2003+A1:2009, EN 374-2:2003, EN 374-3:2003 & EN 388:2003, CE0086 •Medical Device, in compliance with European Medical Device Directive 93/42/EEC (CE Class I), EN 455-1:2000, EN 4552:2009, EN 455-3:2006, EN 455 4:2009 and ASTM D6319
Quality Assurance:	<ul style="list-style-type: none"> •US FDA Quality System Regulations (QSR) •ISO90001 Quality Management System •BS EN ISO13485 Quality Systems



Your Partner In Protection™

WRP Asia Pacific Sdn Bhd 1 4 7 8 1 7 V
Lot 1, Jalan 3, Kawasan Perusahaan
Bandar Baru Salak Tinggi,
43900 Sepang, Selangor Darul Ehsan,
MALAYSIA

Office +60-3-8706 1486
Facsimile +60-3-8706 1557
Email customer_wrp@wrpworld.com



REMESCO Handelges.m.b.H
Grinzinger Allee 5/25, 1190 Vienna,
AUSTRIA

Office +43-1-328-50-88
Facsimile +43-1-328 29-49
Email office@remesco.com

POWDER-FREE NITRILE EXAM GLOVES, NON- STERILE

Glove Size	Reorder #	Palm Width (mm)	Length (mm)
Extra-small	D1400-28	≤ 80	min. 290
Small	D1401-28	80 ± 10	min. 290
Medium	D1402-28	95 ± 10	min. 290
Large	D1403-28	110 ± 10	min. 290
Extra-large	D1404-28	≥ 110	min. 290

Location of Thickness Measurements	Single Wall (mm)
Fingers (at 15mm from the extreme tip)	0.11 ± 0.02
Palm (at center of palm)	0.08 ± 0.02
Cuff (at 25mm from cuff end)	0.07 ± 0.02

*Typical Physical Properties	Before Aging	After Aging
Tensile Strength (MPa)	min. 14	min. 14
Force at Break (N)	6	6

Pre-shipment Quality Inspection: Criteria	Sampling Plan
Dimension	N=13 (EN455-2) or S-2, AQL 4.0 (ASTM D6319)
Physical Properties	N=13 (EN 455-2) or S-2, AQL 4.0 (ASTM D6319)
1000ml Water Leak Test	G-1, AQL 1.5
Powder Free Residue	N=5
Visual Inspection for Major Defects	G1, AQL 2.5
Visual Inspection for Minor Defects	G1, AQL 4.0

* Note: Typical performance value is as a guideline and not to be used as an actual Product Specification.



Test data available upon request